20

WHAT IS CLAIMED IS:

1. A linked data display method for displaying data items managed with given linkages thereamong, characterized in that:

first data, and second data linked to said first data are displayed mutually distinguishably by determining sizes thereof according to a distance of a linkage.

- 2. A linked data display method according to claim

 10 1, wherein linked data items are displayed with a
 plurality of stepped sizes according to distances of
 linkages among a plurality of levels.
- 3. A linked data display method according to claim
 1, wherein said linked data items are time-series data
 15 items accumulated time-sequentially and displayed
 according to temporal distances.
 - 4. A linked data display method according to claim 1, wherein said linked data items are hierarchical data items managed hierarchically and displayed according to distances in a depth direction in a hierarchy.
 - 5. A time-series data display method for displaying accumulated time-series data items time-sequentially, comprising steps of:

retrieving and displaying first data associated

25 with a desired date;

retrieving second data associated with a date

contiguous to said desired date; and

displaying said second data distinguishably from said first data in a temporal direction starting with said desired date.

- 6. A time-series data display method according to claim 5, wherein said distinguishable display is such that a display screen for said second data is displayed with a smaller size than the one for said first data.
- 7. A time-series data display method according to claim 6, wherein said first data is displayed at an outermost position in a display screen, and said second data is displayed inside said first data with a display area thereof made smaller.
- 8. A time series data display method according to claim 7, wherein third data associated with a date contiguous to the date of said second data is retrieved, and said third data is displayed inside said second data with a display area thereof made smaller.
- 9. A time-series data display method according to claim 5, wherein a display of each date is limited to a given number of data items, and wherein when the number of data items exceeds said given number, said data items are classified in units of a finer date and displayed distinguishably.
- 25 10. A time-series data display method according to claim 8, wherein when zoom-in is designated for a screen

20

display, the display positions of said first to third data items are shifted outward and the display areas thereof are made larger.

- 11. A time-series data display method according to claim 10, wherein when said zoom-in is continued for a designated period of time, said first data is moved out of a display screen, and new data associated with a date contiguous to a date of data displayed at an innermost position is retrieved and displayed at said innermost position.
 - 12. A time-series data display method according to claim 10, wherein when zoom-out is designated for a screen display, the display positions of said first to third data items are shifted inward and the display areas thereof are made smaller.
 - 13. A time-series data display method according to claim 12, wherein when said zoom-out is continued for a designated period of time, data displayed at an innermost position is moved out of a display screen, and new data associated with a date contiguous to a date of data displayed at an outermost position is retrieved and displayed at said outermost position.
- 14. A time-series data display method according to claim 12, wherein said zoom-in or zoom-out is designated in a screen, a speed of shifting display positions is varied depending on a designated position in said

screen.

5

10

- 15. A time-series data display method according to claim 5, wherein graphics such as rings or squares representing dates associated with displays are nested and displayed together with representations of data items.
- 16. A time-series data display method according to claim 15, wherein said nested display is realized by arranging said graphics such as rings or squares representing dates associated with displays concentrically in units of a given date, and then displaying data items orderly in said graphics.
- 17. A time series data display method according to claim 15, wherein said graphics such as rings or squares representing dates associated with displays are displayed in different colors associated with said dates.
 - 18. A time-series data display method according to claim 16, wherein said data items are positioned in said graphics at random.
 - 19. A time-series data display method according to claim 18, wherein said random positions are specified at the time of data registration.
- 20. A time-series data display method according to claim 5, wherein said accumulated time-series data items include data items accumulated in one-to-one

correspondence to dates of creation of data files, data items accumulated in one-to-one correspondence to dates of correction of files, and data items accumulated in one-to-one correspondence to designated dates registered by a user.

21. A time-series data display method for displaying accumulated time-series data items time-sequentially, comprising steps of:

accumulating data items in one-to-one correspondence to dates of a schedule table;

displaying said schedule table; and

displaying data items associated with a desired date of said schedule table responsively to designation of said desired date.

22. An information processing system for displaying accumulated time-series data items time-sequentially, comprising:

an accumulating means for accumulating data items in one-to-one correspondence to dates;

a retrieving means for retrieving data of a desired date and data of a date contiguous to said desired date responsively to designation of said desired date; and

a display means for displaying said retrieved data distinguishably in a temporal direction starting with said desired date.

23. An information processing system according to

25

claim 22, wherein said display means displays a display screen for said data associated with a date contiguous to said desired date with a smaller size than a display screen for said data of said desired date according to an elapsed time.

- 24. An information processing system according to claim 23, wherein said display means displays said data of said desired date at an outermost position in a display screen, and displays said data of a date contiguous to said desired date inside said data of said desired date with a display area therefore made smaller according to an elapsed time.
- 25. An information processing system according to claim 22, wherein said display means includes a display limiting means for limiting a display of each date to a given number of date items, and a display dividing means that when the number of data items exceeds said given number, classifies said data items in units of a finer date and displays said data items mutually distinguishably.
- 26. An information processing system according to claim 25, wherein said accumulating means includes a subdividing and accumulating means for subdividing a data accumulation unit into units of a finer date for fear the number of data items should exceed said given number, and then accumulating data items.

10

15

20

25

10

15

20

25

27. An information processing system according to claim 24, further comprising a zoom designating means for use in designating zoom-in or zoom-out for a screen display, and a zoom control means that when zoom-in is designated, shifts the display positions of data items outward so as to increase the display areas thereof, and that when zoom-out is designated, shifts the display positions of data items inward so as to decrease the display areas thereof.

28. An information processing system according to claim 27, wherein when zoom in is designated, said zoom control means moves said data of said desired date out of a display screen, retrieves new data associated with a date contiguous to a date of data displayed at an innermost position, and displays said new data at said innermost position, and wherein when zoom-out is designated, said zoom control means moves said data displayed at said innermost position out of a display screen, retrieves new data associated with a date contiguous to a date of data displayed at an outermost position, and displays said new data at said outermost position, and displays said new data at said outermost position.

29. An information processing system according to claim 27, wherein said zoom designating means includes a designation input means for use in making a designation in a screen, and said zoom control means varies a speed

10

15

20

of shifting display positions depending on a designated position in said screen.

- 30. An information processing system according to claim 22, wherein said display means includes a means for displaying graphics such as rings or squares representing dates associated with displays concentrically in units of a given date, and a means for displaying data items orderly in said graphics, and wherein said graphics such as rings or squares representing dates associated with displays are nested and displayed together with representations of data items.
- 31. An information processing system according to claim 30, wherein said display means displays said graphics such as rings or squares representing dates associated with displays in different colors associated with said dates.
- 32. An information processing system according to claim 30, wherein said display means positions data items in said graphics at random.
- 33. An information processing system according to claim 32, wherein said accumulating means determines said random positions at the time of data registration.
- 34. An information processing system according to claim 22, wherein said accumulated time-series data items include data items accumulated in one-to-one

correspondence to dates of creation of data files, data items accumulated in one-to-one correspondence to dates of correction of files, and data items accumulated in one-to-one correspondence to designated dates registered by a user.

35. An information processing system for displaying accumulated time-series data items time-sequentially, comprising:

an accumulating means for accumulating data items in one-to-one correspondence to dates of a schedule table;

a first display means for displaying said schedule table; and

a second display means for displaying data items associated with a desired date responsively to designation of said desired date of said schedule table.

36. A hierarchical data display method for displaying hierarchically-managed data items, comprising steps of:

dividing a display area into an area, in which data icons representing data items belonging to one level are displayed, and an area in which child levels are displayed; and

displaying said data icons with a size varied

25 depending on a hierarchical depth.

7109 - 10 Trobus TOP - beginning of 200 fool # beginning of 200 fool # beginning of 200 fool # Tracks.

15

10

ore land = week

15

20

to claim 36, wherein as said hierarchical depth F16 3 increases, said data icon size is decreased.

38. A hierarchical data display method according to claim 37 wherein as said hierarchical depth increases, said data icons are simplified more greatly.

F16 3

39. A hierarchical data display method according to claim 36, wherein said sizes of said division areas are determined on the basis of the number of data items belonging to one level and the number of data items belonging to child levels.

40. A hierarchical data display method according to claim 36, wherein when there are a plurality of child levels, a display area for each child level is determined according to the number of data items belonging to levels subordinate to said child level.

41. A hierarchical data display method according to claim 36, wherein said child levels are displayed in a background expressing a parent level, and said background is selected and displayed so that a hierarchical depth can be distinguished.

42. A hierarchical data display method according to claim 39, wherein as said hierarchical depth increases, said background is displayed in a deeper color.

F16 3

25 43. A hierarchical data display method according to claim 36, further comprising a step of zooming in a

10

.15

20

25

- PIII = PIME CHECKE

desired level by performing a given operation after designating a display area for said desired level.

- 44. A hierarchical data display method according to claim 36, further comprising a step of displaying the detailed contents of a desired level by performing a given operation after designating a display area for said desired level.
- 45. A hierarchical data display method according to claim 43, further comprising a step of zooming out a level zoomed by performing said given operation so as to display a parent level.
- 46. A hierarchical data display method according to claim 36, further comprising a step of grouping a plurality of desired data icons, and displaying a leading data icon in such a way that it can be recognized that a plurality of desired data icons are grouped together.
- 47. A hierarchical data display method according to claim 46, further comprising a step of displaying a list of said plurality of data icons grouped together.
- 48. A hierarchical data display method according to claim 46, further comprising a step of rearranging a plurality of data icons grouped together, a step of releasing a group, and a step of deleting a desired data icon from a plurality of data icons grouped together.
 - 49. A hierarchical data browser system for

Voterop Noterop Anoz 1st Punder Introduction

7

LIST

15



displaying hierarchically-managed data items, comprising:

a\display area dividing means for dividing a display area into an area, in which data icons representing data items belonging to one level are displayed, \and an area in which child levels are displayed; and

a data \icon display means for displaying said data icons with a size varied depending on a hierarchical depth.

- A Hierarchical data browser system according to claim 49, wherein said data icon display means decreases said data icon size as said hierarchical depth increases.
- A hierarchical data browser system according to claim 50, wherein said data icon display means simplifies said data icons more greatly as said hierarchical depth increases.
- 52. A hierarchical data browser system according to claim 49, wherein said display area dividing means 20 determines sizes of division areas on the basis of the number of data items belonging to one level and the number of data items belonging to child levels.
- A hierarchical data browser system according to claim 49, wherein when there are a plurality of child 25 levels, said display area dividing means determines a

20

25

display area for each child level on the basis of the number of data items belonging to levels subordinate to said child level.

- 54. A hierarchical data browser system according
 to claim 49, wherein said data icon display means
 includes a background display means for displaying data
 items belonging to the same level in the same
 background, said child levels are displayed in a
 background expressing a parent level, and said
 background is selected so that a hierarchical depth can
 be distinguished.
 - 55. A hierarchical data browser system according to claim 54, wherein as said hierarchical depth increases, said background is displayed in a deeper color.
 - 56. A hierarchical data browser system according to claim 49, further comprising a zoom-in means for use in zooming in a desired level by performing a given operation after designating a display area for said desired level.
 - 57. A hierarchical data browser system according to claim 49, further comprising a detailed contents display means for use in displaying the detailed contents of a desired level by performing a given operation after designating a display area for said desired level.

10

15

20

58. A hierarchical data browser system according to claim 56, further comprising a zoom-out means for use in zooming out a level zoomed in by performing a given operation so as to display a parent level.

59. A hierarchical data browser system according to claim 49, further comprising a grouping means for grouping a plurality of desired data icons, and displaying a leading data icon in such a way that it can be recognized that a plurality of data icons are grouped together.

60. A hierarchical data browser system according to claim 59, further comprising a list display means for displaying a list of said plurality of data icons grouped together.

61. A hierarchical data browser system according to claim 59, further comprising a means for changing a representative picture of said plurality of data icons grouped together from one picture to another, a means for releasing a group, and a means for deleting a desired data icon from a plurality of data icons grouped together.

62. A hierarchical data browser system, comprising:

a hierarchical data managing means for managing a plurality of data items hierarchically; and

a level display means that based on information

5

10

15

representing a level and being retained in said hierarchical data managing means, defines an area, in which all data items belonging to one level and child levels are displayed, with a border encircling the whole of the area, displays said area as an area having a background painted in a given background color, represents said data items to be displayed in said display area using data icons serving as data identification information, and draws a display area for each of levels to be displayed in said display area; that is, a display area for each of child levels within said level display area using the same component elements.

to claim 62, wherein said level display means includes an area defining means for calculating in advance a minimum area necessary for displaying data icons in one level display area, and defining a display area for child levels and a display area for data icons proportionally according to a ratio of the number of all data items belonging to child levels and levels subordinate to said child levels to the number of data items belonging to said level to such an extent that said display area for data icons will not become smaller than said minimum necessary area.

64. A hierarchical data browser system according

p) 20

10

15

to claim 63, wherein said level display means makes data icons smaller in size and simpler as said hierarchical depth increases.

- 65. A hierarchical data browser system according to claim 63, further comprising a zoom-in means for zooming in a level so as to move a view point to a deeper position in a hierarchy, a zoom-out means for zooming out a level so as to move a view point to a shallower position in said hierarchy, and a hierarchical depth indicating means for indicating a hierarchical depth of a zoomed-in level and a zoom direction.
- 66. A hierarchical data browser system according to claim 65, wherein when said zoom-in means is selected, said zoom direction is a direction toward a deeper position in a hierarchy, and when said zoom-out means is selected, said zoom direction is a direction toward a shallower position in said hierarchy.
- to claim 63, wherein said level display means includes
 20 an assessing means for assessing a size of an area
 allocated to one data icon relative to a threshold of a
 size of a level area which is provided as a reference
 for assessing a size of an area allocated to one data
 icon, and a setting means for setting at least one of
 the presence or absence of a data icon picture
 expressing a data icon, the presence or absence of a

data name display, a font size for data name display, and a size of an icon picture according to the result of assessment.

68. A hierarchical data browser system according to claim 67, wherein when an available memory is small, said assessing means accordingly increases said threshold of a size of an area allocated to one data icon which is used to determine whether or not to display an icon picture.

69. A hierarchical data browser system according to claim 63, further comprising a grouping means for grouping a plurality of data icons for the sake of management, and displaying them as a group icon.

70. A hierarchical data browser system according to claim 69, further comprising a list display means for use in displaying a list of data icons belonging to a group corresponding to a group icon by designating said group icon, and a detailed information display means for use in displaying detailed information of data corresponding to a desired data icon selected from said list by designating said data icon.

71. A hierarchical data browser system according to claim 69, further comprising a means for changing a representative picture of a plurality of data icons grouped together from one picture to another, a means for releasing a group, and a means for deleting a

5

10

15

20

10

15

desired data icon from a plurality of data icons grouped together.

72.\ An image editing method for cutting out a designated area of an image in a given form, comprising steps of:

preparing a plurality of cutout forms;

designating one of said cutout forms and placing it at a desired position in an image;

changing said cutout form into a desired size; and outputting a portion of said image inside said cutout form as a cutout image.

4630

73. An image editing method for cutting out a designated area of an image in a given form, comprising steps of:

preparing a cutout form and image mutually independently with designating an identifier, position, and size of said cutout form as attributes of said image;

see of

when a registered cutout form is placed at a

20 desired position in an image, if said cutout form is
enlarged or reduced to a desired size, registering said
identifier of said cutout form, position, and size as
attributes of said image; and

outputting a portion of said image inside said

25 cutout form as a cutout image according to said

registered image attributes.

10

15

20

25

74. An image editing method according to claim 72 or 73, wherein said cutout form is placed on the center of the portion of an image to be cut out, and then enlarged or reduced with the center position thereof fixed.

75. In image editing method according to claim 74, wherein said cutout form is composed of a form used to cutting out an image and a form to be output as a perimeter of a cutout.

76. An image editing method according to claim 72 or 73, wherein said cutout image is used as a Sumner image in a data base system.

77. An image editing method for a hierarchical data management system for managing a plurality of data items hierarchically, comprising steps of:

registering an icon display size representing a size of an icon to be displayed and a data icon display position representing a display position for an icon as attributes of each data; and

determining said icon display size and data icon display position in hierarchical order, and displaying data icons serving as data identification information with a size made different in hierarchical order so that data icons belonging to the same level can be distinguished from data icons belonging to other levels.

78. An image editing method according to claim 77,

wherein a level or data icon is zoomed in, panned, or zoomed out by varying said icon display size and data icon display position.

79. An image editing method according to claim 77,

5 wherein an access frequency meaning the number of
accesses gained to data is included in said data
attributes, and a data icon representing data whose
access frequency is relatively large is displayed with a
relatively large size.

80. An image editing method for a hierarchical data management system for managing a plurality of data items hierarchically, comprising steps of:

displaying data icons serving as data identification information with a size made different in hierarchical order;

accessing data corresponding to a desired data icon by designating said desired data icon; and

displaying a data icon representing data whose access frequency is relatively larger with a relatively larger size.

81. An image editing method according to claim 79 or 80, wherein data icons belonging to the same level are displayed distinguishably from data icons belonging to other levels, and a level containing data whose access frequency is relatively high is displayed with a relatively large size.

10

15

20

- or 80, wherein when said data icon displayed with a relatively large size is not accessed for a period of time exceeding a certain period, said data icon is reduced in proportion to said period during which said data icon is not accessed or an access frequency of another data.
- 83. An image editing method according to claim 80, further comprising a step of zooming in, panning, or zooming out a desired level or data icon by designating said level or data icon.
- 84. An image editing method according to claim 83, wherein a data icon belonging to a level subordinating a marked level is vignetted and displayed.
- 85. An image editing method according to claim 84, wherein said vignetting is achieved by enlarging raw data representing the number of pixels smaller than the number of pixels to be displayed.
- 86. An image editing method according to claim 85, wherein a data icon belonging to a higher level is vignetted more intensely.
 - 87. An image editing method according to claim 77, wherein date information selected from among date information representing a date of creation of data, date information representing a date of access gained to data, date information specified in data is included in

25

10

10

15

20

said data attributes, said icon display size and data icon display position are determined date-orderly, and thus data icons serving as data identification information are displayed with a size made different date-orderly so that data icons associated with the same date can be distinguished from data icons associated with other dates.

- 88. An image editing method according to claim 87, wherein data icons associated with the same date are zoomed in or zoomed out by varying said icon display size and data icon display position.
- 89. An image editing method according to claim 87, wherein either said hierarchical display or date-orderly display can be selected.
- 90. An image editing method according to claim 77, further comprising a step of displaying a position in a whole hierarchy, which is currently displayed in a screen, within a separate window in the form of a position on a plane defined with vertical and lateral lines and a position in a depth direction, and a step of displaying a desired level at a desired enlargement ratio by designating a desired position within said separate window.
- 91. An image editing system for cutting out a
 25 designated area of an image in given form, comprising:
 a registering means for registering a plurality of

cutout forms

a situating means for use in designating one of said registered cutout forms and placing it at a desired position in an image;

a changing means for use in changing said cutout form into a desired size; and

a cutout means for outputting the portion of said image inside said qutout form as a cutout image.

92. An image editing system for cutting out a designated area of an image in given form, comprising:

a registering means for registering a cutout form and image mutually independently;

a situating means for use in situating a registered cutout form in an image by performing a given operation;

a changing means for use in enlarging or reducing said cutout form to a desired size by performing a given operation;

an attribute registering means for registering an identifier, position, and size of said cutout form as attributes of said image; and

an image output means for outputting the portion of said image inside said cutout form as a cutout image according to said registered image attributes.

93. An image editing system according to claim 91
25 or 92, wherein said situating means aligns the center of said cutout form with the center of the portion of an

10

5

15

10

15

image to be cut out, and said changing means enlarges or reduces said cutout form with the center thereof fixed.

- 94. An image editing system according to claim 91 or 92, wherein said registering means registers said cutout form as a form used to cut out a picture and a form to be output as a perimeter of a cutout.
- 95. An image editing system according to claim 91 or 92, wherein said image editing system is included in a data base system, and said cutout image is used as a Sumner image.
- 96. An image editing system for a hierarchical data management system for managing a plurality of data items hierarchically, comprising:

an attribute registering means for registering an icon display size representing a size of an icon to be displayed and a data icon display position representing a display position for an icon as attributes of each data, and

- a first display means for determining said icon

 20 display size and data icon display position in
 hierarchical order, and thus displaying data icons
 serving as data identification information with a size
 made different in hierarchical order so that data icons
 belonging to the same level can be distinguished from

 25 data icons belonging to other levels.
 - 97. An image editing system adcording to claim 96,

further comprising a first display changing means for zooming in, panning, or zooming out a level or data icon by varying said icon display size and data icon display position.

- 98. An image editing system according to claim 96, further comprising a second display changing means for registering an access frequency meaning the number of accesses gained to data as an attribute of data, and displaying a data icon representing data whose access frequency is relatively high with a relatively large size.
- 99. An image editing system for a hierarchical data management system for managing a plurality of data items hierarchically, comprising:

a display means for displaying data icons serving as data identification information with a size varied in hierarchical order;

an access means for use in accessing data corresponding to a desired data icon by designating said data icon; and

a second display changing means for displaying a data icon representing data whose access frequency is relatively high with a relatively large size.

100. An image editing system according to claim 98
25 or 99, wherein said display means displays data icons
belonging to the same level distinguishably from data

15

20

10

icons belonging to other levels, and said second display changing means displays a level containing data whose access frequency is relatively high with a relatively large size.

or 99, wherein when said data icon displayed with a relatively large size is not accessed for a period of time exceeding a certain period, said second display changing means reduces said data icon in proportion to said period during which said data icon is not accessed or an access frequency of another data.

102. An image editing system according to claim 99, further comprising a first display changing means for use in zooming in, panning, or zooming out a desired level or data icon by designating said level or data icon.

103. An image editing system according to claim 102, wherein said first display changing means includes a vignetting means for vignetting and displaying data icons belonging to a level subordinating a marked level.

104. An image editing system according to claim 102, wherein said vignetting means achieves vignetting by enlarging raw data representing the number of pixels smaller than the number of pixels to be displayed.

105. An image editing system according to claim 104, wherein said vignetting means vignettes data icons

15

20

25

5

belonging to a higher level more intensely and displays them.

106. An image editing system according to claim 96, wherein said attribute registering means registers date information selected from among date information representing a date of creation of data, date information representing a date of access gained to data, and date information specified in data, further comprising a second display means for determining said icon display size and data icon display position date-orderly, and thus displaying data icons serving as data identification information with a size made different date-orderly so that data icons associated with the same date can be distinguished from data icons associated with other dates.

107. An image editing system according to claim 106, further comprising a third display changing means for zooming in or out data icons associated with the same date by varying said icon display size and data icon display position.

108. An image editing system according to claim 106, further comprising a switching means for selecting either said first display means or second display means.

109. An image editing system according to claim 96, wherein said first and second display means display a position in a whole hierarchy, which is currently

10

5

15

20

displayed in a screen, within a separate window in the form of a position on a plane defined with vertical and lateral lines and a position in a depth direction, further comprising a display designating means for use in displaying a desired level at a desired enlargement ratio by designating a desired position in said window.

110. A Homputer program product comprising a computer usable medium having computer readable program code means for displaying data items managed with given linkages thereamong, said computer program product including:

computer readable program code means for displaying first data, and second data linked to said first data, mutually distinguishably by determining sizes thereof according to a distante of a linkage.

111. A computer program product according to claim 110, wherein the computer usable medium further having data linked to be used by \said computer readable program code means.

112. A computer program product comprising a 20 computer usable medium having computer readable program code means for displaying accumulated time-series data items time-sequentially, said computer program product including:

computer readable program code means for retrieving 25 first data associated with a desired date and second

10

5

data associated a date contiguous to said desired date;

computer readable program code means for displaying said first data, and said second data distinguishably from said first data in a temporal direction starting with said desired date.

113. A computer program product according to claim 112, further including computer readable program code means for zooming in said first and second data by shifting data in a direction of said second data to said first data and making display area larger, and for zooming out said first and second data by shifting data in a direction of said first data to said second data and making the display area smaller.

114. A computer program product according to claim 112, wherein the computer usable medium further having time-series data to be used by said computer readable program code means.

115. A computer program product comprising a

20 computer usable medium having computer readable program
code means for displaying accumulated time-series data
items time-sequentially, said computer program product
including:

computer readable program code means for

25 accumulating data times in one-to-one correspondence to
dates of a schedule table; and

15

5

computer readable program code means for displaying said schedule table, and data items associated with a desired date of said schedule table responsively to designation of said desired date.

116. A computer program product according to claim 115, wherein said computer usable medium further having said schedule table.

117. A computer program product comprising a computer usable medium having computer readable program code means for displaying hierarchically-managed data items, said computer program product including:

computer readable program code means for dividing a display area into an area, in which data icons representing data items belonging to one level are displayed, and an area in which child levels are displayed; and

computer readable program code means for displaying said data icons with a size varied depending on a hierarchical depth.

118. A computer program product according to claim
117, wherein said computer usable medium further having
a hierarchically-managed data.

119. A computer program product comprising a computer usable medium having computer readable program code means for cutting out a designated area of an image in a given form, said computer program product

5

15

20

including:

computer readable program code means for designating one of registered cutout forms and placing it at a desired position in an image;

computer readable program code means for changing said cutout form into a desired size; and

computer readable program code means for outputting a portion of said image inside said cutout form as a cutout image.

120. A computer program product according to claim
119, wherein said computer usable medium further having
a plurality of cutout forms and images to be cut out.

121. A computer program product comprising a computer usable medium having computer readable program code means for cutting out a designated area of an image in a given form, said computer program product including:

computer readable program code means for registering an identifier of a cutout form, and size as attributes of an image, if said cutout form is enlarged or reduced to a desired size, when a registered cutout form is placed at a desired position in said image; and

computer readable program dode means for outputting a portion of said image inside said cutout form as a cutout image according to said registered image attributes.

10

5

15

20

122. A computer program product according to claim 121, wherein said computer usable medium further having cutout forms and images mutually independently, with designating an identifier, position, and size of said cutout form as attributes of said image.

123. A computer program product comprising a computer usable medium having computer readable program code means for managing a plurality of data items hierarchically, said computer program product including:

computer readable program code means for displaying data icons serving as data identification information with a size made different in hierarchical order;

computer readable program code means for accessing data corresponding to a desired data icon by designating said desired data icon; and

computer readable program code means for displaying a data icon representing data whose access frequency is relatively larger with a relatively larger size.

124. A computer program product according to claim
20 123, wherein said computer usable medium further having
a hierarchical data and an access frequency data.

15

10

5

aldy of